
 **XB893**



	XB893
Capacity	10 600x400
Pitch	80 mm
Frequency	50 / 60 Hz
Voltage	400 V~ 3N
Electrical power	15,8 kW
Max. gas rated power	-
Dimensions	860x882x1250
Weight	112 Kg



	Dynamic	Manual
BAKING MODES		
Convection baking 30 °C - 260 °C	•	•
Convection baking + Humidity 48 °C a 260 °C	•	•
Maximum pre-heating temperature 260 °C	•	•
AIR DISTRIBUTION IN THE BAKING CHAMBER		
AIR.Plus technology: multiple fans with reversing gear	•	•
AIR.Plus technology: dual fan speeds	•	•
CLIMA MANAGEMENT IN THE BAKING CHAMBER		
DRY.Plus technology: rapid humidity extraction	•	•
STEAM.Plus technology: humidity setting from 20 to 100%, programmable by the user	•	•
STEAM.Plus technology: manual humidity activation	•	•
HIGH PERFORMANCE ATMOSPHERIC BURNER		
Spido.GAS™ technology: high performance straight heat exchanger pipes for a simmetric heat distribution (only for gas ovens)	•	•
Spido.GAS™ technology: straight heat exchanger pipes for an easy service (only for gas ovens)	•	•
PATENTED DOOR		
Door hinges made of high durability and self-lubricating techno-polymer	•	•
Reversible door, even after the installation (not for 16 600x400 model)	•	•
Door docking positions at 60°-120°-180°	•	•
AUXILIARIES FUNCTIONS		
99 baking programs memory, each one made of 3 baking steps + pre-heating	•	•
Protek.SAFE™ technology: maximum thermal efficiency and working safety (cold door glass and external surfaces)	•	•
Visualisation of the residual baking time	•	•
Continuous functioning «INF»	•	•
Visualisation of the nominal value of baking chamber temperature	•	•
«COOL» function for rapid chamber cooling	•	•
Temperature unity settable in °C or °F	•	•
TECHNICAL DETAILS		
Rounded stainless steel AISI 304 cavity for hygiene and ease of cleaning	•	•
Cavity lighting through external LED lights (only for 16 600x400 model)	•	•
Cavity lighting through long-life halogen lights (only for 10 and 6 600x400 models)	•	•
High-durability carbon fibre door lock	•	•
Openable internal glass to simplify the door cleaning	•	•
Stainless steel L-shaped rack rails	•	•
Light weight – heavy duty structure using innovative materials	•	•
Autodiagnosis system for problems or brake down	•	•
USB and LAN port	•	•
Safety temperature switch	•	•